

Rinne&Rinne



Oil Pattern Distance **Forward Oil Total Tank Configuration**

40 15.95 mL **ALT**

Reverse Brush Drop Reverse Oil Total Tank A Conditioner

38 7.8 mL **ICE** Oil Per Board **Volume Oil Total Tank B Conditioner**

Multi ul 23.75 mL **ICE**

	START	STOP	LOADS	MICS	SPEED	BUFFER	CROSSED	START	END	FEET	T.OIL
1	2L	2R	3	50	18	3	111	0.0	5.1	5.1	5550
2	7L	7R	1	50	18	3	27	5.1	7.6	2.5	1350
3	9L	9R	2	50	18	3	46	7.6	12.7	5.1	2300
4	10L	10R	3	50	18	3	63	12.7	20.3	7.6	3150
5	11L	11R	2	50	18	3	38	20.3	25.4	5.1	1900
6	12L	12R	2	50	18	3	34	25.4	30.5	5.1	1700
7	2L	2R	0	50	22	3	0	30.5	36.0	5.5	0
8	2L	2R	0	50	30	3	0	36.0	40.0	4.0	0

-											
	START	STOP	LOADS	MI⊜	SPEED	BUFFER	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	50	30	3	0	40.0	28.0	-12.0	0
2	12L	12R	2	50	18	3	34	28.0	22.9	-5.1	1700
3	11L	11R	2	50	18	3	38	22.9	17.8	-5.1	1900
4	10L	10R	4	50	18	3	84	17.8	7.6	-10.2	4200
5	2L	2R	0	50	10	3	0	7.6	0.0	-7.6	0

Cleaner Ratio Main Mix 19:1 Forward

Cleaner Rati	io Back End	Mix	19:1	l Rever	se		##	Ш	Ш	П	
Cleaner Rati			59	Comb	ined			Ш	Ш	Ш	
Buffer RPM: 4 = 700 3 = 500 2 = 200 1 = 100											
	T	T	l		T	T			ı		
ltem	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R		Н	Ш		
Description	Outside:Middle	Middle:Middle	Inside:Middle	Middle: Inside	Middle:Middle	Middle:Outside	Ш	Ш	Ш		
Track Zone Ratio	6.56	1.72	1	1	1.72	6.56					
1500								-	_	_	



